



Concrete Pipe

Approximate Mass & Dimensions

INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	WALL THICKNESS (mm)	LAY LENGTH (m)	MASS PER PIECE (kg)	TRUCKLOAD LOTS (pcs)*
NON-REINFORCED CONCRETE PIPE					
150	203.0	26.0	1.00	50	532
200	267.0	30.0	1.00	70	357
250	320.0	33.0	1.00	100	260
REINFORCED CONCRETE PIPE					
300	444.5	69.9	2.44	550	69
375	533.4	76.2	2.44	746	51
450	622.3	82.6	2.44	930	41
525	711.2	88.9	2.44	1140	33
600	800.1	95.3	2.44	1410	27
675	889.0	101.6	2.44	1680	23
750	977.9	108.0	2.44	1905	20
825	1066.8	114.3	2.44	2225	18
900	1155.7	120.7	2.44	2535	15
975	1244.6	127.0	2.44	2915	13
1050	1333.5	133.4	2.44	3115	12
1200	1511.3	146.1	2.44	3810	9
1350	1689.1	158.8	2.44	4731	7
1500	1828.8	152.4	2.44	5180	7
1650	2006.6	165.1	2.44	6101	6
1800	2184.4	177.8	2.44	6991	5
1950	2362.2	190.5	2.44	8110	4
2100	2540.0	203.2	2.44	9290	4
2250	2717.8	215.9	2.44	10520	3
2400	2895.6	228.6	2.44	11880	2
2550	3073.4	241.3	2.44	12637	2
2700	3251.2	254.0	2.44	14035	2
3000	3606.8	279.4	2.44	17185	1

NOTES:

- 1) 150's, 200's and 250's are delivered by the bundle.
- 2) 150mm - 46pcs/bundle, 200mm - 33pcs/bundle, 250mm - 23pcs/bundle.
- 3) *SPRING HALF LOAD SEASON WILL AFFECT GROSS WEIGHT.